



Nickel Melt Rounds

Nickel Melt Rounds are a high purity form of nickel suitable for melting applications. Long Harbour Nickel Melt Rounds are manufactured by electrolytic refining at Vale's Long Harbour Processing Plant in Newfoundland, Canada and are one of the lowest carbon intensive nickel products on the market.

The controlled and consistent purity of Nickel Melt Rounds and their distinctive shape make this product ideal for demanding melting applications.

The main characteristics of this product are:

- High purity, consistent composition.
- High nickel content and low impurity levels allow for its addition at any stage of the alloy-making process.
- The chemical composition and shape allow for its addition as a primary feed material in the BOF, EAF, AOD and induction furnaces or for fine tuning additions in ladle metallurgy stations.
- The shape results in easily controlled flow and permits superior handling characteristics in semi-and fully-automated handling operations, such as transfer from bulk storage to weighing and furnace charging stations.
- The solid metallic nature of the product ensures there is no breakage and dusting so there will be no losses during handling.
- Carbon intensity is 4.4 tCO₂e / t Ni. This calculation includes downstream emissions¹ along with both scopes 1 and 2.

For more information visit vale.com, email bmmarketing@vale.com or contact your regional sales representative.



2 tonne bag
(89cm x 89cm x 115cm)

Disclaimer: The product descriptions and specifications contained in this document are made in accordance with our analyses and the methods used to produce Vale's nickel products. While these descriptions and specifications are reflective of normal production lots, rather than each individual piece, such descriptions and specifications shall in no event be deemed or interpreted as any representation, warranty or commitment by Vale in connection with Vale's nickel products quality. Vale's nickel products quality shall be determined only in accordance with the corresponding contract terms for each transaction agreed between Vale and Vale's customer and the quality related certificate issued under such contract.

1. Downstream emissions are emitted after a product or service leaves the company's control/ownership.
Updated: September 2021 © Vale Canada Limited

Product description

Form

- Button-shaped pieces of nickel
- Diameter: ~ 25-35 mm
- Thickness: ~ 4-15 mm
- Weight per piece: ~ 26-32 grams

The packaged product may contain a few diverse sized pieces.

Packaging options

- 2 tonne bags on wooden pallets

Typical analysis (wt %)

- Contains a minimum of 99.80% (by weight) nickel and trace amounts of other elements.
- Nickel determined by difference
- Chemical composition meets ASTM B39